EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	("20010002703").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 16:17
L3	0	L2 and saturat93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 16:17
L4	2	("20050012686").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 17:20
L5	2	("5814834").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 17:20
L6	14993	((313/498-500,505) or (315/169.1,169.4) or (345/55,62,76-77,82- 84,204)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 17:20
L7	9425	(suppress3 eliminat03 reduc33 stop94 quench33 cetan053 squash53 quell33 quash53 quell33 quash33 remov33) near10 ((off ((non 'not') hear3 (on 'lluminat03 enies03))) near3 current) near10 ((transistor63 fft switch 53)	US-PGPUB; USPAT; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:20
L8	296	16 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:20
L9	2	("20030067424").FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 17:20

L10	2	("20010002703").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 17:20
L11	2	("20020113760").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 17:20
L12	2	("6207969").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 17:20
L13	2	(*20050012686*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 17:20
L14	1	[13] and (threshold nears) (higher and lower)) and (channel near3 length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:20
L15	14993	((313/498-500,505) or (315/169.1,169.4) or (345/55,62,76-77,82- 84,204)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 17:20
L16	89	115 and ((n-channel n- type p-channel p-type) with (threshold near3 (voltage potential)) with (larger greater higher smaller lower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:20
L17	19	L15 and ((n-channel n- type p-channel p-type) with (threshold near3 (voltage potential)) with (larger greater higher smaller lower)) and (channel near5 (width and length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SOOR	ON	2009/02/10 17:20
L18	2	("6870192").FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 17:20
L19	1	E13 and ((channel near3 (width and length)) same (longer smaller equal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:20

L20	10	L15 and ((driving near5 (tft transistor)) with saturat%3) and ((current near5 control near5 (transistor tft)) with linear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:20
L21	14993	((313/498-500,505) or (315/169.1,169.4) or (345/55,62,76-77,82- 84,204)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_IDB	OR	OFF	22009/02/10 17:20
L22	10	L21 and ((driving near5 (tft transistor)) with saturat03) and ((current near5 control near5 (transistor tft)) with (non-saturat03 linear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:20
L23	2	(*20050012686*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/10 17:20
224	1	123 and ((channel near3 (width and length)) same (longer smaller equal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:20
L25	1	L23 and (threshold with (higher and lower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:20
L26	465	121 and ((tft transistor) near5 (saturat93 adj region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:22
L27	213	121 and (pixel same ((tft transistor) near5 (saturat83 adj region)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:22
L28	21	L26 and @pd<"20030324"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/10 17:34
S1	2	(*20050012686*).FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/07 11:22

S2	2	("5814834").FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 20:15
S3	14061	((313/498-500,505) or (315/169.1,169.4) or (345/55,62,76-77,82- 84,204)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; UPO; DERWENT; IBM_TDB	OR	OFF	2008/08/16 20:51
S4	9029	[suppress3 eliminat3] reduc83 stop94 quench93 rextinguish93 squash93 quel193 quash93 remov93) near10 (off ((non "not") near3 (on "lluminat9 eniss3))) near3 current) near10 (transistor93 tft switch 33)	US-PGPUB; USPAT; USPAT; USOCR; EPO; UPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 20:55
S.5	269	53 and 54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/16 20:56
\$6	2	("20030067424").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_IDB	OR	OFF	2008/08/16 23:59
\$7	2	(*20010002703*).FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_IDB	OR	OFF	2008/08/17 00:34
58	2	(*20020113760*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 00:50
59	2	("6207969").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_IDB	OR	OFF	2008/08/17 00:59
S10	2	(*20050012686*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 01:17

S11	1	S10 and (threshold near5 (higher and lower)) and (channel near3 length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/17 01:17
S12	14061	((313/498-500,505) or (315/169.1,169.4) or (345/55,62,76-77,82- 84,204)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 01:20
513	85	S12 and ((n-channel n- type p-channel p-type) with (threshold near3 (voltage potential)) with (larger greater higher smaller lower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	VOR	ON	2008/08/17 01:20
814	1.6	S12 and ((n-channel n- type p-channel p-type) with (threshold near3 (voltage potential)) with (larger greater higher smaller lower)) and (channel near5 (width and length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR OR	ON	2008/08/17 01:21
315	2	"6870192").FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	FOR	OFF	2008/08/17 01:25
516	2	S10 and ((channel near3 (width and length)) same (longer smaller equal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	FOR	ON	2008/08/17 01:32
317	9	S12 and ((driving near5 (tft transistor)) with saturat93) and ((current near5 control near5 (transistor tft)) with linear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/17 01:36
\$18	14061	((313/498-500,505) or (315/169.1,169.4) or (345/55,62,76-77,82- 84,204)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	Fi O	2008/08/17 01:41
519	9	S18 and ((driving near5 (tft transistor)) with saturat\$3) and ((current near5 control near5 (transistor tft)) with (non-saturat\$3 linear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/17 01:41
S20	2	("20050012686").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_IDB	OR	OFF	2008/08/17 01:44

S21	1	1	USPAT;	OR	2008/08/17 01:44
522	1	(higher and lower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	2008/08/17 01:54